## IN THE CLAIMS:

03/14/2005 16:47

What is claimed is:

1. (original) A method in a data processing system for managing data in a network data processing system, the method comprising:

YEE & ASSOCIATES

receiving a packet containing data associated with content;

determining whether the packet is enabled for content distribution by examining the data packet; and

responsive to the packet being enabled for content distribution, distributing the content in response to a request for the content without requiring a validity check.

- 2. (original) The method of claim 1, wherein the content is a Web page.
- 3. (original) The method of claim 1 further comprising: responsive to an absence of an enablement for content distribution, performing a validity check on the content in response to a request for the content.
- 4. (original) The method of claim 1, wherein the data processing system is one of a cache for Web content or a proxy server.
- 5. (original) The method of claim 1, wherein an indicator in the packet is used for determining whether the content is enabled for content distribution.
- 6. (original) The method of claim 1, wherein the indicator is located in a header of the packet.
- (original) The method of claim 1, wherein the packet is transmitted using a 7. hypertext transfer protocol.
- (original) A method in a data processing system for caching content, the method comprising:

Page 2 of 23 Agarwalla et al. - 09/960,448 receiving a data packet containing content and control information; caching the content and control information;

responsive to a request from a requestor for the content, determining whether a particular indicator is present; and

responsive to a determination that the particular indicator is present, sending the content to the requestor without performing a validity check.

- 9. (original) The method of claim 8, wherein the indicator identifies the content as being content distribution capable.
- 10. (original) The method of claim 8 further comprising: responsive to a determination that the particular indicator is absent, performing the validity check using the control information.
- 11. (original) The method of claim 8, wherein the content is one of a Web page, an audio file, a text file, a program, or a video file.
- 12. (original) The method of claim 8, wherein the control information follows a hypertext transfer protocol.
- 13. (original) A method in a data processing system for managing content, the method comprising:

receiving a request for content from a node;

adding an indicator and control information used to cache the content in a header of a data packet, wherein the indicator is used by an enabled node to distribute the content without performing a validity check on the content;

placing the content into the data packet; and transmitting the data packet to the node.

14. (original) A data processing system comprising:a bus system;

Page 3 of 23 Agarwalla et al. - 09/960,448

- a communications unit connected to the bus system;
- a memory connected to the bus system, wherein the memory includes a set of instructions; and

a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to receive a packet containing data associated with content; determine whether the packet is enabled for content distribution by examining the data packet; and distribute the content in response to a request for the content without requiring a validity check in response to the packet being enabled for content distribution.

## 15. (original) A data processing system comprising:

- a bus system;
- a communications unit connected to the bus system;
- a memory connected to the bus system, wherein the memory includes a set of instructions; and

a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to receive a data packet containing content and control information; cache the content and control information; determine whether a particular indicator is present in response to a request from a requestor for the content; and send the content to the requestor without performing a validity check in response to a determination that the particular indicator is present.

## 16. (original) A data processing system comprising:

- a bus system;
- a communications unit connected to the bus system;
- a memory connected to the bus system, wherein the memory includes a set of instructions; and
- a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to receive a request for content from a node; add an indicator and control information used to cache the content in a header of a data packet in which the indicator is used by an enabled node to distribute the content without

performing a validity check on the content; place the content into the data packet; and transmit the data packet to the node.

17. (original) A data processing system for managing data in a network data processing system, the data processing system comprising:

receiving means for receiving a packet containing data associated with content; determining means for determining whether the packet is enabled for content distribution by examining the data packet; and

distributing means, responsive to the packet being enabled for content distribution, for distributing the content in response to a request for the content without requiring a validity check.

- 18. (original) The data processing system of claim 17, wherein the content is a Web page.
- 19. (original) The data processing system of claim 17 further comprising: performing means, responsive to an absence of an enablement for content distribution, for performing a validity check on the content in response to a request for the content.
- 20. (original) The data processing system of claim 17, wherein the data processing system is one of a cache for Web content or a proxy server.
- 21. (original) The data processing system of claim 17, wherein an indicator in the packet is used for determining whether the content is enabled for content distribution.
- 22. (original) The data processing system of claim 17, wherein the indicator is located in a header of the packet.
- 23. (original) The data processing system of claim 17, wherein the packet is transmitted using a hypertext transfer protocol.

Page 5 of 23 Agarwalia et al. - 09/960,448 24. (original) A data processing system for caching content, the data processing system comprising:

receiving means for receiving a data packet containing content and control information;

caching means for caching the content and control information;

determining means, responsive to a request from a requestor for the content, for determining whether a particular indicator is present; and

sending means, responsive to a determination that the particular indicator is present, for sending the content to the requestor without performing a validity check.

- 25. (original) The data processing system of claim 24, wherein the indicator identifies the content as being content distribution capable.
- 26. (original) The data processing system of claim 24 further comprising:

  performing means, responsive to a determination that the particular indicator is absent, for performing the validity check using the control information.
- 27. (original) The data processing system of claim 24, wherein the content is one of a Web page, an audio file, a text file, a program, or a video file.
- 28. (original) The data processing system of claim 24, wherein the control information follows a hypertext transfer protocol.
- 29. (original) A data processing system for managing content, the data processing system comprising:

receiving means for receiving a request for content from a node;

adding means for adding an indicator and control information used to cache the content in a header of a data packet, wherein the indicator is used by an enabled node to distribute the content without performing a validity check on the content;

placing means for placing the content into the data packet; and

Page 6 of 23 Agarwalla et al. - 09/960,448

## transmitting means for transmitting the data packet to the node

30. (original) A computer program product for managing data in a network data processing system, the computer program product comprising:

first instructions for receiving a packet containing data associated with content; second instructions for determining whether the packet is enabled for content distribution by examining the data packet; and

third instructions, responsive to the packet being enabled for content distribution, for distributing the content in response to a request for the content without requiring a validity check.

31. (original) A computer program product in a data processing system for caching content, the computer program product comprising:

first instructions for receiving a data packet containing content and control information;

second instructions for caching the content and control information;
third instructions, responsive to a request from a requestor for the content, for
determining whether a particular indicator is present; and

fourth instructions, responsive to a determination that the particular indicator is present, for sending the content to the requestor without performing a validity check.

32. (original) A computer program product for managing content, the computer program product comprising:

first instructions for receiving a request for content from a node;

second instructions for adding an indicator and control information used to cache the content in a header of a data packet, wherein the indicator is used by an enabled node to distribute the content without performing a validity check on the content;

third instructions for placing the content into the data packet; and fourth instructions for transmitting the data packet to the node.